



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

## **ARDON® DICK KNUCKLE**

COMFORTABLE HANDLING IN WET ENVIRONMENT



**EN 388: 2016**

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# ARDON® DICK KNUCKLE

COMFORTABLE HANDLING IN WET ENVIRONMENT

## CODE

A9023

## MATERIAL

Lining 10G polyester + cotton (white)  
Coating latex (orange)  
Thickness 2,0 ± 0,2 mm (in palm)

## SIZE(S)

10 / XL

## UNIT

pair

## PACKING

Units in carton 120 pairs  
Units in polybag 12 pairs  
Retail packaging also with sales label (10-SPE)

## DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	61x28x44	-	-
-	-	-	-	-	0,0752	-	-

## WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	15,70	-	-
-	-	-	-	-	131,0	-	-



## Size chart (cm)

total length (A)  
cuff length (B)  
cuff width (C)  
palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	26,0	-	-
-	-	-	-	-	9,00	-	-
-	-	-	-	-	8,50	-	-
-	-	-	-	-	11,8	-	-

Tolerance (A) ± 0,5 (cm)  
Tolerance (B) ± 0,7 (cm)

Tolerance (C) ± 0,7 (cm)  
Tolerance (D) ± 0,7 (cm)

## DESCRIPTION

Cotton knit dipped in latex.

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

2  
1  
2  
1  
X

#### score

500 – 2.000  
1,2 – 2,5  
25 – 50  
20 – 60  
not measured

#### unit

cycles  
index  
N  
N  
N

### SPECIAL FEATURES

- 3/4 dipped
- ARDON® design:
  - compulsory information on inner label
- also retail ready packed

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**  
A9023/10

**Retail packaging (with sales label)**  
A9023/10-SPE

## EAN

8592390039217

8592390128959