



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

## ARDON® EFFECT

HANDLING IN DRY ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION



EN 388: 2016

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## ARDON® EFFECT

HANDLING IN DRY ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION

### CODE

A9105

### MATERIAL

Palm  
Back  
Cuff  
Lining  
Thickness

goatskin leather (grey)  
goatskin leather (grey)  
goatskin leather + Velcro  
N/A  
0,8 – 0,9 mm (in palm)

### SIZE(S)

11 / 2XL

### UNIT

pair

### PACKING

Units in carton  
Units in polybag  
Retail packaging

60 pairs  
12 pairs  
N/A

### DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	-	38x39x39	-
-	-	-	-	-	-	0,0578	-

### WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	-	8,120	-
-	-	-	-	-	-	132,0	-



### Size chart (cm)

Total length (A)  
Cuff length (B)  
Cuff width (C)  
Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	-	36,0	-
-	-	-	-	-	-	14,5	-
-	-	-	-	-	-	12,5	-
-	-	-	-	-	-	12,5	-

Tolerance (A)  $\pm 0,30$  (cm)  
Tolerance (B)  $\pm 0,30$  (cm)

Tolerance (C)  $\pm 0,30$  (cm)  
Tolerance (D)  $\pm 0,30$  (cm)

### DESCRIPTION

Full leather goatskin gloves with Kevlar seams and Velcro cuff.



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

3  
1  
3  
2  
X

#### score

2.000 – 8.000  
1,2 – 2,5  
50 – 75  
60 – 100  
not measured

#### unit

cycles  
index  
N  
N  
N

### SPECIAL FEATURES

- ARDON® design:
  - mandatory information on inner label
- equipped with an adjustable Velcro cuff so that they do not slip or move
- Kevlar seams

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

**Basic packaging (without sales label)**  
A9105

**EAN**

8592390041722

TECHNICAL DATA