



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® TOP UP WINTER

ROUGH HANDLING IN DRY ENVIRONMENT WITH PROTECTION AGAINST VERY LOW TEMPERATURES



TECHNICAL DATA



EN 388: 2016



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® TOP UP WINTER

ROUGH HANDLING IN DRY ENVIRONMENT WITH PROTECTION AGAINST VERY LOW TEMPERATURES

**CODE** A2199

**MATERIAL**

Palm cowsplit leather (orange)  
 Back cotton (red)  
 Cuff reinforced (red)  
 Lining fleece  
 Thickness 3mm (1,1 – 1,2 mm only leather, measured in palm)

**SIZE(S)** 11 / 2XL

**UNIT** pair

**PACKING**


Units in carton 60 pairs  
 Units in polybag 12 pairs  
 Retail packaging also with sales label (-SPE)

**DIMENSIONS**

	5	6	7	8	9,5	10	11	12
Carton H x W x D (cm)	-	-	-	-	-	-	65x29x29	-
Carton (cbm)	-	-	-	-	-	-	0,0547	-

**WEIGHT**

	5	6	7	8	9,5	10	11	12
Carton (kg)	-	-	-	-	-	-	17,00	-
Unit (g)	-	-	-	-	-	-	267,0	-



**Size chart (cm)**

	5	6	7	8	9,5	10	11	12
Total length (A)	-	-	-	-	-	-	28,0	-
Cuff length (B)	-	-	-	-	-	-	8,00	-
Cuff width (C)	-	-	-	-	-	-	14,5	-
Palm width (D)	-	-	-	-	-	-	14,0	-

Tolerance (A) ± 0,30 (cm)

Tolerance (B) ± 0,30 (cm)

Tolerance (C) ± 0,30 (cm)

Tolerance (D) ± 0,30 (cm)

**DESCRIPTION**

Winter gloves made of cowsplit leather with cotton back and reinforced cuff.

TECHNICAL DATA



## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

3  
2  
3  
3  
X

#### score

2.000 – 8.000  
2,5 – 5  
50 – 75  
100 – 150  
not measured

#### unit

cycles  
index  
N  
N  
N

### SPECIAL FEATURES

- combined winter gloves with warm lining
- stable and high quality leather
- ARDON® design:
  - also in retail packaging ( 'retail ready')



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**  
A2199/11-BPE

**Retail packaging (with sales label)**  
A2199/11-SPE

**EAN**

8592390138286

8592390010414



TECHNICAL DATA