



ARDON®
WORKWEAR
& OUTDOOR

ABE UNI

HANDLING IN DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ABE UNI

HANDLING IN DRY ENVIRONMENT

CODE **A3011**

MATERIAL

Lining

Thickness

7G polyester (white)
1,2 – 1,3 mm (in palm)

SIZE(S)

uni

UNIT

pair

PACKING

Units in carton

Units in polybag

Retail packaging

300 pairs

12 pairs

N/A

DIMENSIONS

Carton H x W x D (cm)

Carton (cbm)

uni

55x25x53

0,0729

WEIGHT


Carton (kg)

Unit (g)

uni

16,0

50,0



Size chart (cm)

Total length (A)

Cuff length (B)

Cuff width (C)

Palm width (D)

uni

24,5

5,00

8,00

10,0

Tolerance (A) $\pm 0,50$ (cm)

Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)

Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Seamless polyester knit with elastic wrist.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

X
X
2
X
X

score

X
X
25 – 50
X
X

unit

cycles
index
N
N
N

Basic packaging (without sales label)
A3011/uni

EAN

8592390000590

TECHNICAL DATA