



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

## SIDNEY

HANDLING IN WET ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION



EN 388: 2016

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# SIDNEY

HANDLING IN WET ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION

## CODE

**A4003**

## MATERIAL

Lining: cotton  
 Coating: nitrile (blue)  
 Thickness: 1,4 mm (in palm)

## SIZE(S):

10 / XL – 11 / 2XL

## UNIT

pair

## PACKING

Units in carton: 120 pairs  
 Units in polybag: 12 pairs  
 Retail packaging: size 10 / XL also with sales label (-SPE)

## DIMENSIONS


Carton H x W x D (cm)  
 Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	70x27x34	70x27x34	-
-	-	-	-	-	0,0643	0,0643	-

## WEIGHT

Carton (kg)  
 Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	17,50	18,50	-
-	-	-	-	-	120,0	125,0	-



## Size chart (cm)

Total length (A)  
 Cuff length (B)  
 Cuff width (C)  
 Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	26,0	27,0	-
-	-	-	-	-	7,00	7,50	-
-	-	-	-	-	15,0	16,0	-
-	-	-	-	-	13,0	13,5	-

Tolerance (A) ± 0,50 (cm)  
 Tolerance (B) ± 0,30 (cm)

Tolerance (C) ± 0,30 (cm)  
 Tolerance (D) ± 0,30 (cm)

## DESCRIPTION

Cotton knit dipped in a thick layer of nitrile.

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

4  
1  
1  
2  
X

#### score

> 8.000  
1,2 – 2,5  
10 – 25  
60 - 100  
not measured

#### unit

cycles  
index  
N  
N  
N

### SPECIAL FEATURES

- fully-dipped gloves
- stiff cuff

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A4003/10

A4003/11

**Retail packaging (with sales label)**

A4003/10-SPE

**EAN**

8592390012135

8592390011138

8592390083234