



ARDON®
WORKWEAR
& **OUTDOOR**

SIDNEY

HANDLING IN WET ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION



EN 388: 2016



ARDON®
WORKWEAR
& OUTDOOR

SIDNEY

HANDLING IN WET ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION

CODE

A4003

MATERIAL

Lining
Coating
Thickness
cotton
nitrile (blue)
1,4 mm (in palm)

SIZE(S):

10 / XL – 11 / 2XL

UNIT

pair

PACKING


Units in carton
Units in polybag
Retail packaging
120 pairs
12 pairs
size 10 / XL also with sales label (-SPE)

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	-	-	70x27x34	70x27x34	-
Carton (cbm)	-	-	-	-	-	0,0643	0,0643	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	-	-	17,50	18,50	-
Unit (g)	-	-	-	-	-	120,0	125,0	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	-	-	26,0	27,0	-
Cuff length (B)	-	-	-	-	-	7,00	7,50	-
Cuff width (C)	-	-	-	-	-	15,0	16,0	-
Palm width (D)	-	-	-	-	-	13,0	13,5	-

Tolerance (A) $\pm 0,50$ (cm)

Tolerance (B) $\pm 0,30$ (cm)

Tolerance (C) $\pm 0,30$ (cm)

Tolerance (D) $\pm 0,30$ (cm)

DESCRIPTION

Cotton knit dipped in a thick layer of nitrile.



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

4
1
1
2
X

score

> 8.000
1,2 – 2,5
10 – 25
60 - 100
not measured

unit

cycles
index
N
N
N

SPECIAL FEATURES

- fully-dipped gloves
- stiff cuff

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A4003/10

A4003/11

Retail packaging (with sales label)

A4003/10-SPE

EAN

8592390012135

8592390011138

8592390083234