



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## BRAD

HANDLING IN LIGHT OILY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# BRAD

HANDLING IN LIGHT OILY ENVIRONMENT

## CODE

A5016

## MATERIAL

Lining 13G polyester (white)  
Coating nitrile (grey)  
Thickness 1,0 mm (in palm)

## SIZE(S):

6 / XS – 11 / 2XL

## UNIT

pair

## PACKING

Units in carton 240 pairs  
Units in polybag 12 pairs  
Retail packaging N/A

## DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	50x25x44	50x25x44	50x25x44	50x25x44	50x25x44	50x25x44	-
-	0,055	0,055	0,055	0,055	0,055	0,055	-

## WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	9,10	9,40	9,60	11,3	11,8	12,1	-
-	37,9	39,2	40,0	47,1	49,2	50,4	-



## Size chart (cm)

Total length (A)  
Cuff length (B)  
Cuff width (C)  
Palm width (D)

5	6	7	8	9	10	11	12
-	22,0	23,0	24,0	25,0	26,0	27,0	-
-	6,80	7,00	7,50	7,70	8,00	8,20	-
-	7,50	8,00	8,20	8,20	8,20	8,50	-
-	8,50	9,00	9,50	10,0	10,5	11,0	-

Tolerance (A)  $\pm 0,50$  (cm)  
Tolerance (B)  $\pm 0,30$  (cm)

Tolerance (C)  $\pm 0,30$  (cm)  
Tolerance (D)  $\pm 0,30$  (cm)

## DESCRIPTION

Polyester knit dipped in nitrile.

TECHNICAL DATA

**ARDON®****WORKWEAR  
& OUTDOOR**

## STANDARDS

**(EU) 2016/425****EN ISO 21420:2020** Protective gloves – general requirements and test methods**EN 388:2016 + A1:2018** Protective gloves against mechanical risks**EN 388****PROTECTION LEVELS****MECHANICAL RISKS**

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

**LVL**

2

1

2

X

X

**score**

500 – 2.000

1,2 – 2,5

25 – 50

not measured

not measured

**unit**

cycles

index

N

N

N

**SPECIAL FEATURES**

- dipping with non-slip finish

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

**Basic packaging (without sales label)**

A5016/06  
A5016/7  
A5016/08  
A5016/09  
A5016/10  
A5016/11

**EAN**

8592390012456  
8592390012463  
8592390012470  
8592390012487  
8592390012494  
8592390010995

**HEM COLOR**

purple  
red  
yellow  
brown  
black  
green

TECHNICAL DATA