



ARDON®
WORKWEAR
& OUTDOOR

ARDON® LITE TOUCH

EXTRA PRECISION HANDLING IN A DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ARDON® LITE TOUCH

EXTRA PRECISION HANDLING IN A DRY ENVIRONMENT

CODE

A8012

MATERIAL

Lining 18G nylon (blue)
Coating polyurethane (black)
Thickness 0,9 mm (in palm)

SIZE(S):

6 / XS – 11 / 2XL

UNIT

pair

PACKING

Units in carton 144 pairs
Units in polybag 12 pairs + each pair in a single bag
Retail packaging N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|----------|----------|----------|----------|----------|----------|----|
| - | 27x51x41 | 27x51x41 | 27x51x41 | 27x51x41 | 27x51x41 | 27x51x41 | - |
| - | 0,0565 | 0,0565 | 0,0565 | 0,0565 | 0,0565 | 0,0565 | - |

WEIGHT

Carton (kg)
Unit (g)

| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|------|------|------|------|------|------|----|
| - | 4,29 | 4,32 | 4,98 | 5,10 | 5,34 | 5,78 | - |
| - | 13,6 | 14,2 | 16,0 | 19,2 | 19,8 | 20,6 | - |



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|------|------|------|------|------|------|----|
| - | 20,5 | 22,0 | 23,0 | 24,5 | 25,5 | 26,0 | - |
| - | 5,00 | 5,00 | 5,00 | 5,50 | 5,50 | 6,00 | - |
| - | 6,50 | 6,50 | 7,00 | 7,50 | 7,50 | 8,00 | - |
| - | 8,00 | 8,20 | 8,80 | 9,20 | 10,0 | 10,6 | - |

Tolerance (A) $\pm 0,50$ (cm)
Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)
Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION


Ultra-thin nylon knit (binding 18) dipped in polyurethane.

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

|  | PROTECTION LEVELS | | | |
|---|---------------------|-----|---------------|--------|
| | MECHANICAL RISKS | | | |
| | abrasion resistance | LVL | score | unit |
| | cut resistance | 3 | 2.000 – 8.000 | cycles |
| | tearing resistance | 1 | 1,2 – 2,5 | index |
| | puncture resistance | 1 | 10 – 25 | N |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

SPECIAL FEATURES

- very fine knit (binding 18)
- seamless cuff (less pressure on the wrist)
- each pair in a single bag (remain clean until the last moment before putting them on your hands)



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A8012/06
A8012/07
A8012/08
A8012/09
A8012/10
A8012/11

EAN

8592390048837
8592390048844
8592390048851
8592390048868
8592390048875
8592390048882

HEM COLOR

white
green
brown
yellow
grey
black

