



ARDON®
WORKWEAR
& OUTDOOR

ARDON® LITE TOUCH

EXTRA PRECISION HANDLING IN A DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ARDON® LITE TOUCH

EXTRA PRECISION HANDLING IN A DRY ENVIRONMENT

CODE

A8012

MATERIAL

Lining 18G nylon (blue)
Coating polyurethane (black)
Thickness 0,9 mm (in palm)

SIZE(S):

6 / XS – 11 / 2XL

UNIT

pair

PACKING

Units in carton 144 pairs
Units in polybag 12 pairs + each pair in a single bag
Retail packaging N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	27x51x41	27x51x41	27x51x41	27x51x41	27x51x41	27x51x41	-
-	0,0565	0,0565	0,0565	0,0565	0,0565	0,0565	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	4,29	4,32	4,98	5,10	5,34	5,78	-
-	13,6	14,2	16,0	19,2	19,8	20,6	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	20,5	22,0	23,0	24,5	25,5	26,0	-
-	5,00	5,00	5,00	5,50	5,50	6,00	-
-	6,50	6,50	7,00	7,50	7,50	8,00	-
-	8,00	8,20	8,80	9,20	10,0	10,6	-

Tolerance (A) $\pm 0,50$ (cm)
Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)
Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Ultra-thin nylon knit (binding 18) dipped in polyurethane.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
1
1
0
X

score

2.000 – 8.000
1,2 – 2,5
10 – 25
≤ 20
not measured

unit

cycles
index
N
N
N

SPECIAL FEATURES

- very fine knit (binding 18)
- seamless cuff (less pressure on the wrist)
- each pair in a single bag (remain clean until the last moment before putting them on your hands)

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A8012/06
A8012/07
A8012/08
A8012/09
A8012/10
A8012/11

EAN

8592390048837
8592390048844
8592390048851
8592390048868
8592390048875
8592390048882

HEM COLOR

white
green
brown
yellow
grey
black

