



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON® GREEN TOUCH

MULTIFUNCTIONAL HANDLING IN DRY AND WET ENVIRONMENTS WITH THE POSSIBILITY OF HEAT PROTECTION



EN 388: 2016



EN 407: 2004

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ARDON® GREEN TOUCH

MULTIFUNCTIONAL HANDLING IN DRY AND WET ENVIRONMENTS WITH THE POSSIBILITY OF HEAT PROTECTION

CODE

A8017

MATERIAL

Lining 13G polyester
Coating latex with non-slip finish (grid)
Thickness 1,8 mm (in palm)

SIZE(S):

7 / S (purple)
8 / M – 11 / 2XL (green-blue)

UNIT

pair

PACKING


Units in carton 120 pairs
Units in polybag 12 pairs
Retail packaging sales label

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	54x24x29	54x26x29	54x26x29	54x27x29	54x27x30	-
Carton (cbm)	-	-	0,0376	0,0407	0,0407	0,0423	0,0437	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	10,0	10,6	11,3	12,1	12,6	-
Unit (g)	-	-	71,0	76,0	82,0	88,0	93,0	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	24,0	25,0	26,0	27,0	28,0	-
Cuff length (B)	-	-	8,60	9,00	9,80	10,2	10,6	-
Cuff width (C)	-	-	8,10	8,30	8,50	8,70	9,00	-
Palm width (D)	-	-	9,60	10,0	10,6	11,0	11,5	-

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)

Tolerance (D) ± 0,70 (cm)

DESCRIPTION

Comfortable knit with ecological latex dipping, waterproof and with a very secure grip.



ARDON®
WORKWEAR
& OUTDOOR


STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
1
4
1
X

score

2.000 – 8.000
1,2 – 2,5
> 75
20 – 60
not measured

unit

cycles
index
N
N
N

EN 407:2004

Protective gloves against heat or flame

EN 407



PROTECTION LEVELS

THERMAL RISKS

resistance to burning
resistance to contact heat
resistance to convectional heat
resistance to radiant heat
resistance to small drops of molten metals
resistance to large drops of molten metals

LVL

X
2
X
X
X
X

score

not measured
250°C for 15s
not measured
not measured
not measured
not measured

SPECIAL FEATURES

- ecological method of latex coating (without the use of acids)
- OEKO-TEX certification – health and dermatologically harmless, suitable for allergy sufferers
- extremely secure grip thanks to the latex grid (ideal for slippery surfaces, glass, etc.)
- protection against heat up to 150 ° C (according to certification up to 250 ° C for 15 seconds, but we generally do not recommend exposure to temperatures higher than 150 ° C, during which latex secondary vulcanizes and heats up)
- women's size (7 / S) in purple color
- ARDON® design:
 - mandatory information on inner label
- each pairs in each size is retail ready packed



ARDON®
WORKWEAR
& OUTDOOR

Retail packaging (with sales label)

A8017/07
A8017/08
A8017/09
A8017/10
A8017/11

EAN

8592390035028
8592390035523
8592390035530
8592390035554
8592390035561

HEM COLOR

red
yellow
brown
black
green





ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

