



ARDON®
WORKWEAR
& **OUTDOOR**

LEO ESD

STATIC PROTECTION



LEO ESD
8(M)
CAT II
EN 388:2016 EN 16350
XX XXX
ARDON SAFETY S.p.A.
P.O. BOX 100 47010 FERRARA (FE) ITALY



EN 388: 2016



EN 16350

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

LEO ESD

STATIC PROTECTION

CODE

A9001

MATERIAL

Lining

Coating

Thickness

13G polyester (grey) + carbon fiber
polyurethane (white)
0,85 mm (in palm); 1,05 mm (fingertips)

SIZE(S):

6 / XS – 10 / XL

UNIT

pair

PACKING

Units in carton

Units in polybag

Retail packaging

240 pairs
12 pairs
N/A

DIMENSIONS

Carton H x W x D (cm)

Carton (cbm)


| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|----------|----------|----------|----------|----------|----|----|
| - | 45x23x34 | 45x23x34 | 45x23x34 | 45x23x34 | 45x23x34 | - | - |
| - | 0,0352 | 0,0352 | 0,0352 | 0,0352 | 0,0352 | - | - |

WEIGHT

Carton (kg)

Unit (g)

| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|------|------|------|------|------|----|----|
| - | 4,70 | 4,90 | 5,20 | 5,60 | 5,70 | - | - |
| - | 18,0 | 19,0 | 20,0 | 21,0 | 22,0 | - | - |



Size chart (cm)

Total length (A)

Cuff length (B)

Cuff width (C)

Palm width (D)

| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|------|------|------|------|------|----|----|
| - | 19,0 | 20,0 | 21,0 | 22,0 | 23,0 | - | - |
| - | 5,50 | 6,00 | 6,00 | 6,00 | 6,50 | - | - |
| - | 6,50 | 6,50 | 6,80 | 6,80 | 7,00 | - | - |
| - | 7,50 | 7,50 | 8,00 | 8,00 | 8,50 | - | - |

Tolerance (A) $\pm 0,50$ (cm)

Tolerance (B) $\pm 0,30$ (cm)

Tolerance (C) $\pm 0,30$ (cm)

Tolerance (D) $\pm 0,30$ (cm)

DESCRIPTION

Fine polyester knit with fingertips dipped in polyurethane.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

X

X

2

X

X

score

not measured

not measured

25 - 50

not measured

not measured

unit

cycles

index

N

N

N

EN 16350:2014

Protective gloves - general requirements and test methods
for antistatic properties

EN 16350



SPECIAL FEATURES

- dipped fingertips
- wide size range with different hem color for every size:
 - size 6 / XS = pink
 - size 7 / S = yellow
 - size 8 / M = green
 - size 9 / L = orange
 - size 10 / XL = blue
- fine knitted fabric (binding 13)
- ESD antistatic gloves

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A9001/06
A9001/07
A9001/08
A9001/09
A9001/10

EAN

8592390124562
8592390124579
8592390124586
8592390124593
8592390124609

HEM COLOR

pink
yellow
green
orange
blue

TECHNICAL DATA