



ARDON®
WORKWEAR
& OUTDOOR

ARDON® FIRSTY S1P

SAFETY SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® FIRSTY S1P

SAFETY SHOES

ARTICLE

G1185

MATERIAL

Upper

cowhide leather with SPLIT LEATHER design

Lining

MESH laminated breathable fabric

Sole

PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap

steel 522X

Plate

steel

Insole

BASIC

SIZE

36-48

UNIT

pair

PACKAGE

Units in a carton

10 pairs

Units in a box

1 pair

DIMENSIONS

Carton H x W x D
(cm)

36-42
59,5 x 32,5 x 37,5

43-46
62 x 34,5 x 39,5

47-48
62 x 36 x 41,5

Carton (cbm)

0,0725

0,0845

0,0926

Size EUR

35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Insole length mm

-	239	246	252	259	266	272	279	286	292	299	306	312	319	-	-	-
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	---	---

Foot length cm

-	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	-	-	-
---	------	------	------	------	------	------	------	------	------	------	------	------	------	---	---	---

DESCRIPTION

Ankle boots with two-component polyurethane soles, a steel safety toe cap and a puncture-resistant insole.

TECHNICAL SHEET

NORMS

(EU) 2016/425

EN ISO 20345:2022

Personal protective equipment - Safety footwear

Category

S1 P SR FO

Categories

EN ISO 20345

E - energy absorption in the heel area

✓



FO - resistance to oils and fuels

✓



A - antistatic footwear

✓



SR - resistance to slipping on ceramic floor tiles with SLS
and on steel floors with glycerin

✓



WR - upper resistant to water



Safety toe cap for toe protection

✓



P - resistance to punctures (protective insole)

✓



HRO - resistance to contact heatup to 300 °C



HI-insulation of the bottom of the shoe against heat



CI-insulation of the bottom of the shoe against the cold



Splatters of molten metal



ESD – shoe protects against electrostatic discharge and can
be used on EPA premises



The shoes do not contain metal parts



-

-

-



ARDON®
WORKWEAR
& **OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1185/36	8592390032942	15.62	1.562
G1185/37	8592390032959	15.64	1.564
G1185/38	8592390032966	15.68	1.568
G1185/39	8592390032973	15.71	1.571
G1185/40	8592390032980	15.76	1.576
G1185/41	8592390032997	15.79	1.579
G1185/42	8592390033000	15.81	1.581
G1185/43	8592390033017	15.83	1.583
G1185/44	8592390033024	15.87	1.587
G1185/45	8592390033031	15.89	1.589
G1185/46	8592390033048	15.91	1.591
G1185/47	8592390033055	15.94	1.594
G1185/48	8592390033062	15.98	1.598



ARDON®
WORKWEAR
& **OUTDOOR**





ARDON®
WORKWEAR
& OUTDOOR

