



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## EPA TOUCH

STATIC PROTECTION



EN 388: 2016



EN 16350



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# EPA TOUCH

STATIC PROTECTION

## CODE

A8210

## MATERIAL

Lining 13G nylon (grey) + carbon fiber  
Coating polyurethane (white)  
Thickness 1,1 mm (in palm)

## SIZE(S):

6 / XS – 10 / XL

## UNIT

pair

## PACKING

Units in carton 240 pairs  
Units in polybag 12 pairs  
Retail packaging N/A

## DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	52x25x36	52x25x36	52x25x36	52x25x36	52x25x36	-	-
-	0,0468	0,0468	0,0468	0,0468	0,0468	-	-

## WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	5,30	5,60	6,00	6,20	6,70	-	-
-	22,0	23,0	25,0	25,8	27,9	-	-



## Size chart (cm)

Total length (A)  
Cuff length (B)  
Cuff width (C)  
Palm width (D)

5	6	7	8	9	10	11	12
-	22,5	23,5	24,0	25,0	26,0	-	-
-	7,00	7,20	7,50	7,80	8,30	-	-
-	7,30	7,50	7,50	8,00	8,20	-	-
-	8,50	8,70	9,20	8,50	9,80	-	-

Tolerance (A)  $\pm 0,50$  (cm)  
Tolerance (B)  $\pm 0,30$  (cm)

Tolerance (C)  $\pm 0,30$  (cm)  
Tolerance (D)  $\pm 0,30$  (cm)

## DESCRIPTION

Fine nylon knitted fabric dipped in polyurethane.

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

LVL	score	unit
3	2.000 – 8.000	cycles
1	1,2 – 2,5	index
2	25 – 50	N
1	20 – 60	N
X	not measured	N

EN 16350:2014

Protective gloves - general requirements and test methods  
for antistatic properties



### SPECIAL FEATURES

- half-dipped gloves
- wide size range with different hem color for every size:
  - size 6 / XS = violet
  - size 7 / S = orange
  - size 8 / M = blue
  - size 9 / L = yellow
  - size 10 / XL = brown
- fine knitted fabric (binding 13)
- ESD antistatic gloves – surface resistance of knitwear  $3,2 \times 10^7$  Ohm



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A8210/06

A8210/07

A8210/08

A8210/09

A8210/10

**EAN**

8592390154088

8592390018274

8592390010469

8592390010407

8592390010476

**HEM COLOR**

violet

orange

blue

yellow

brown

TECHNICAL DATA