



TECHNICAL DATA SHEET

ARDON AQUA 512/A

Workwear

Article NO: H1188

Material: PLAVITEX Multi
Size: S - 4XL



Water-repellent, antistatic and flame resistant trousers.
Personal protective equipment of category II.

This personal protective equipment is in conformity with these harmonized European Standards:

EN ISO 13688:2013 - Protective clothes. - General requirements.

EN 343:2003+A1:2007, EN 343:2003+A1:2007/AC:2009 : Protective clothes- Protection against rain.

EN 1149-5: 2008 - Protective clothing - Electrostatic properties - Material and structural requirements.

EN ISO 20471:2013 - High visibility clothing - Test methods and requirements.

EN ISO 14116:2015 - Protective clothing - Protection against heat and flame - materials and material assemblies with limited flame spread.

EN 13034:2005+A1:2009 - Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing provides limited protection against liquid chemicals (Type 6 and Type PB [6]).

Certified by notified body no. 1437 (Centralny Instytut Ochrony Pracy - National Research Institute), certificate no WE/S/2922/2018.

Pieces in carton:	20
Polybag packing (pieces):	1
Carton weight:	24,0 kg
Carton size:	0,064 m ³

Service life depends on the frequency of use and the wear rate under the given conditions. Improper storage and improper maintenance and handling will reduce the service life. The warranty period is 24 months. In no event may the warranty period be confused with a product's service life. Under intense use, the service life may be shorter than the warranty period.



The product contains no substances at concentrations that are known or suspected to have adverse effects on sanitation or a user's health. However, skin irritation may occur with sensitive persons; in this case, the discontinue use of the clothing. Avoid fire and intense heat sources. There are no designated accessories or spare parts for this clothing. When a garment is not being worn, it should be stored in dry and well ventilated places out of direct sunlight. In order to transport, the original packaging should be used. Protect from moisture and extreme temperatures. After use, dispose of in an environmentally friendly manner.
