



ARDON®
WORKWEAR
& OUTDOOR

ARDON® PROTECTOR 02

WORKING SHOES



DRY AIR



REFLECTIVE



**WATER
REPELLENT**

TECHNICAL SHEET

ARDON® PROTECTOR O2

WORKING SHOES

ARTICLE

G3316

MATERIAL

Upper

buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm (with hydrophobic treatment)

Lining

laminated breathable fabric MESH

Sole

PU/rubber, two-component spray coating, oil resistant, anti-static, antislip, resistant to 300°C

Toe cap

Plate

Insole

BASIC

SIZE

36-50

UNIT

pair

PACKAGE

Units in a carton

10 pairs

Units in a box

1 pair

DIMENSIONS

Carton H x W x D

36-43
36 x 49 x 65

44-50
37 x 50 x 69

(cm)

Carton (cbm)

0,115

0,128

Size EUR

35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51

Insole length mm

- 241 247 255 262 270 276 282 288 298 304 309 315 320 326 330 -

Foot length cm

- 23,1 23,7 24,5 25,2 26,0 26,6 27,2 27,8 28,8 29,4 29,9 30,5 31,0 31,6 32,0 -

DESCRIPTION















Ankle boots with PU / rubber sole, resistant to contact heat up to 300 °C. Upper made of leather with PU coating.

NORMS

(EU) 2016/425

EN ISO 20347:2012 Personal protective equipment –Occupational footwear

Category O2 HRO FO SRC

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C	✓	
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3316/36	8592390115393	13,20	1,320
G3316/37	8592390115409	13,70	1,370
G3316/38	8592390115416	14,50	1,450
G3316/39	8592390115423	15,00	1,500
G3316/40	8592390115430	15,70	1,570
G3316/41	8592390115447	15,90	1,590
G3316/42	8592390115454	16,30	1,630
G3316/43	8592390115461	16,40	1,640
G3316/44	8592390115478	16,80	1,680
G3316/45	8592390115485	17,20	1,720
G3316/46	8592390115492	17,50	1,750
G3316/47	8592390115508	17,90	1,790
G3316/48	8592390115515	18,20	1,820
G3316/49	8592390119162	18,50	1,850
G3316/50	8592390119179	18,90	1,890



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

