



ARDON®
WORKWEAR
& OUTDOOR

ARDON® KINGLOW 01

WORKING SHOES



DRY AIR



REFLECTIVE

ARDON® KINGLOW 01

WORKING SHOES

ARTICLE

G3322

MATERIAL

Upper

buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm
laminated breathable fabric MESH

Lining

PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Sole

Toe cap

Plate

Insole

SIZE

BASIC

UNIT

36-48

PACKAGE

pair

Units in a carton

10 pairs

Units in a box

1 pair

DIMENSIONS

Carton H x W x D

36-43
36 x 49 x 65

44-48
37 x 49,5 x 69

(cm)

Carton (cbm)

0,115

0,126

Size EUR

35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51

Insole length mm

- 241 247 255 262 270 276 282 288 298 304 309 315 320 - - -

Foot length cm

- 23,6 24,2 25,0 25,7 26,5 27,1 27,7 28,3 29,3 29,9 30,4 31,0 31,5 - - -

DESCRIPTION















Working low shoe with leather upper. Sole made of double density PU /PU material.

NORMS

(EU) 2016/425

EN ISO 20347:2012 Personal protective equipment –Occupational footwear

Category O1 SRC

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3322/36	8592390116949	12,10	1,210
G3322/37	8592390116956	12,20	1,220
G3322/38	8592390116963	12,80	1,280
G3322/39	8592390116970	12,90	1,290
G3322/40	8592390116987	13,60	1,360
G3322/41	8592390116994	14,10	1,410
G3322/42	8592390117007	14,50	1,450
G3322/43	8592390117014	14,90	1,490
G3322/44	8592390117021	15,80	1,580
G3322/45	8592390117038	16,20	1,620
G3322/46	8592390117045	16,70	1,670
G3322/47	8592390117052	17,10	1,710
G3322/48	8592390117069	17,80	1,780



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

