




















# Helixon



| HS CODE  |
|--|
| 84798997   |
| CARTON SIZE / PCS.   |
| 60 x 40 x 24 cm / 2  |
| FA 20 402 15B : AET N°2777/10833-01/E01-02<br>FA 20 402 20 : 2777/10833-01/E01-03<br>FA 20 402 20S : AET N° 2777/10833-01/E18-01 |
| <b>Satra Technology Europe Ltd., N° 2777,</b><br>Bracetown Business Park, Clonee,<br>Dublin, D15YN2P, Ireland                    |
| MODULE D FI14/14003.02   |
| <b>SGS Fimko Oy, N°0598</b><br>Takomotie 8,<br>00380 HELSINKI, Finland   |
| ACKNOWLEDGEMENT OF RECEIPT N°3975/1/2018 (ATEX)  |
| <b>Technická Inšpekcia, a.s. N°1354</b><br>Trnavská cesta 56, 821 01 Bratislava, Slovenská Republika                             |

| REF.   | FA 20 402 15B   FA 20 402 20  | FA 20 402 20S   |
|--|---|---|
| LG.<br><br>KG | 15 m   20 m   | 20 m  |
| CE   | EN 360:2002   | EN 360:2002   |
| MAT.<br>      | Polyamide 6 - 30% fiber glass<br> <b>STEEL</b> Ø4.5 mm | Polyamide 6 - 30% fiber glass<br> <b>INOX</b> Ø4.5 mm            |
|               | <br>FA 50 101 17 / FA 50 203 20 with fall indicator    | <br>FA 50 101 17 / stainless steel connector with fall indicator |
|              | x2  | x2  |
| R(kN)  | 12 kN   | 12 kN   |
|             | NO  | NO  |
| +  |  II 2 Exh IIC T6 Gb<br>EN 360 §4.6 (endurance test)  |  II 2 Exh IIC T6 Gb<br>EN 360 §4.6 (endurance test)            |
|             | 7.03 KG   7.43 KG   | 7.48 KG   |

|  |   |   |
|--|---|---|
| <p>LG.<br/><br/>KG</p> <p><b>Longueur</b> Poids maxi utilisateur<br/><b>Length</b> Max. user weight<br/><b>Longitud</b> Peso máximo del usuario<br/><b>Lunghezza</b> Peso Max. dell'utente<br/><b>Länge</b> Höchstgewicht des Benutzers</p> | <p>MAT.<br/></p> <p><b>Matière carter / câble</b><br/>Material of casing / wire rope<br/><b>Material cárter / cable</b><br/>Material dei carter / cavo<br/><b>Material Gehäuse / Seil</b></p>  | <p></p> <p><b>Matière connecteur haut / connecteur bas</b><br/>Material of top connector / bottom connector<br/><b>Material conector alto / conector bajo</b><br/>Materiale connettore alto / connettore basso<br/><b>Material oberes / unteres Verbindungselement</b></p> |
| <p></p> <p><b>Nombre d'émerillons</b><br/>Number of swivels<br/><b>Cantidad de eslabones giratorios</b><br/>Numero di tornichetti<br/><b>Anzahl der Wirbel</b></p>  | <p></p> <p><b>Homologué pour le travail à proximité d'arêtes vives</b><br/>Approved for work near sharp edges<br/><b>Homologado para trabajo cerca de aristas vivas</b><br/>Omologato per lavoro in prossimità di spigoli vivi<br/><b>Zugelassen für Arbeiten in der Nähe scharfer Kanten</b></p> |   |