



ARDON®
WORKWEAR
& OUTDOOR

ARDON® MASTER O2

WORKING SHOES



DRY AIR



REFLECTIVE



**DEFUSE
CONTROL**



**WATER
REPELLENT**

TECHNICAL SHEET

ARDON® MASTER O2

WORKING SHOES

ARTICLE G3330

MATERIAL

Upper
Lining
Sole

cowhide leather CRAZY HORSE, shoe tongue made of CORDURA fabric
laminated breathable fabric MESH
PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Insole

ANATOMIC FOAM - anatomically shaped from EVA foam, supports
longitudinal and transverse arches, absorbs shocks in the
heel area, antistatic, antibacterial, ESD

SIZE

UNIT

PACKAGE

Units in a carton

Units in a box

36-48

pair

10 pairs

1 pair

DIMENSIONS

Carton H x W x D
(cm)

Carton (cbm)

36-42

34 x 48 x 65

0,106

43-48

37 x 50 x 69

0,128

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	239	245	252	259	266	272	278	286	291	298	306	312	319	-	-	-
Foot length cm	-	22,9	23,5	24,2	24,9	25,6	26,2	26,8	27,6	28,1	28,8	29,6	30,2	30,9	-	-	-

DESCRIPTION

Shoes of managerial design. Upper with hydrophobic treatment is made of quality cowhide leather CRAZY HORSE, the tongue is made of durable CORDURA fabric. The elegant flat sole made of two-density PU has anti-slip SR properties.

NORMS

(EU) 2016/425

EN ISO 20347:2022

Personal protective equipment – Occupational footwear

Category

O2 SR FO

Categories

EN ISO 20347

E - energy absorption in the heel area

✓



FO - resistance to oils and fuels

✓



A - antistatic footwear

✓



SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin

✓



WR - upper resistant to water

✓



Safety toe cap for toe protection



P - resistance to punctures (protective insole)



SRA - slip resistance ceramic floor tiles with SLS



HRO - resistance to contact heatup to 300 °C



HI-insulation of the bottom of the shoe against heat



CI-insulation of the bottom of the shoe against the cold



Splatters of molten metal



ESD – shoe protects against electrostatic discharge and can be used on EPA premises



The shoes do not contain metal parts



-

-

-



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3330/36	8592390132680	15,0	1,50
G3330/37	8592390132697	15,4	1,54
G3330/38	8592390132703	15,7	1,57
G3330/39	8592390132710	16,0	1,60
G3330/40	8592390132727	16,2	1,62
G3330/41	8592390132734	16,4	1,64
G3330/42	8592390132741	16,6	1,66
G3330/43	8592390132758	16,9	1,69
G3330/44	8592390132765	17,2	1,72
G3330/45	8592390132772	17,5	1,75
G3330/46	8592390132789	17,9	1,79
G3330/47	8592390132796	18,3	1,83
G3330/48	8592390132802	18,7	1,87



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& **OUTDOOR**

