



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® NATURE TOUCH

COMFORTABLE HANDLING IN DRY ENVIRONMENT  
(WITH CONTACT HEAT PROTECTION)



EN 388: 2016



EN 407: 2004

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# ARDON® NATURE TOUCH

COMFORTABLE HANDLING IN DRY ENVIRONMENT  
(WITH CONTACT HEAT PROTECTION)

**CODE** A8081

## MATERIAL

Lining 13G polyester, recycled polyester, spandex (blue-white melange)  
Coating latex foam (blue)  
Thickness 1,25 mm (in palm)

**SIZE(S)** 7 / S – 11 / 2XL

**UNIT** pair

## PACKING


Units in carton 240 pairs  
Units in polybag 12 pairs  
Retail packaging sales label

## DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	60x40x27	60x40x27	60x40x28	62x40x28	62x40x28	-
Carton (cbm)	-	-	0,0648	0,0648	0,0672	0,0694	0,0694	-

## WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	10,6	11,8	12,8	13,8	15,9	-
Unit (g)	-	-	36,0	41,0	45,0	49,0	58,0	-



## Size chart (cm)

	5	6	7	8	9	10	11	12
total length (A)	-	-	23,0	24,0	25,0	26,0	27,0	-
cuff length (B)	-	-	7,20	7,40	7,60	7,80	8,20	-
cuff width (C)	-	-	8,00	8,20	8,40	8,60	8,80	-
palm width (D)	-	-	9,00	9,50	10,30	10,60	11,10	-

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)

Tolerance (D) ± 0,50 (cm)

## DESCRIPTION

Ecological knit dipped in latex foam with anti-slip finish.



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
 cut resistance  
 tearing resistance  
 puncture resistance  
 cut resistance acc. to ISO

#### LVL

2  
 1  
 2  
 1  
 X

#### score

500 – 2.000  
 1,2 – 2,5  
 25 – 50  
 20 – 60  
 not measured

#### unit

cycles  
 index  
 N  
 N  
 N

**EN 407:2004**

Protective gloves against heat or flame

### PROTECTION LEVELS

#### THERMAL RISKS

resistance to burning  
 resistance to contact heat  
 resistance to convectional heat  
 resistance to radiant heat  
 resistance to small drops of molten metals  
 resistance to large drops of molten metals

#### LVL

X  
 1  
 X  
 X  
 X  
 X

#### score

not measured  
 100°C for 15s  
 not measured  
 not measured  
 not measured  
 not measured

EN 407



### SPECIAL FEATURES

- lining made of a mixture of polyester and recycled polyester (from recycled PET bottles)
- 3D breathable (also in the place of coating)
- four color design (grey-white, blue-white, brown-white and pink-white melange)
- ARDON® design:
  - mandatory information on inner label
  - reflective producer's logo



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## Retail packaging (with sales label)

A8081/07-SPE  
A8081/08-SPE  
A8081/09-SPE  
A8081/10-SPE  
A8081/11-SPE

## EAN

8592390146335  
8592390146342  
8592390146359  
8592390146366  
8592390146373







**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**



TECHNICAL DATA







**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**



TECHNICAL DATA