



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

## ARDON® BUCK CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION  
AND STATIC PROTECTION



EN 388: 2016



EN 16350

TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED

ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc [www.ardon.cz](http://www.ardon.cz)



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

# ARDON®BUCK CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION  
AND STATIC PROTECTION

## CODE

A5023

## MATERIAL

Lining

15G HPPE (High Performance Polyethylene) + Carbon Fiber  
+ Spandex

Coating  
Thickness

polyurethane (grey), half-dipped  
1,1 ± 0,2 mm (in palm)

## SIZE(S):

6 / XS – 10 / XL

## UNIT

pair

## PACKING

Units in carton  
Units in polybag  
Retail packaging

120 pairs  
12 pairs  
N/A

## DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	45x26x24	45x26x24	45x26x24	45x26x24	45x26x24	-	-
-	0,0281	0,0281	0,0281	0,0281	0,0281	-	-

## WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	4,80	5,20	5,50	6,20	6,50	-	-
-	32,0	35,0	38,0	43,0	46,0	-	-



## Size chart (cm)

Total length (A)  
Cuff length (B)  
Cuff width (C)  
Palm width (D)

5	6	7	8	9	10	11	12
-	22,0	23,0	24,0	25,0	26,0	-	-
-	7,80	8,00	8,20	9,60	9,80	-	-
-	7,60	7,80	8,00	8,40	8,60	-	-
-	9,00	9,40	9,60	10,1	10,9	-	-

Tolerance (A) ± 0,50 (cm)  
Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)  
Tolerance (D) ± 0,70 (cm)

## DESCRIPTION

Highly durable ESD cut-resistant knit with polyurethane half-dipping.


TECHNICAL DATA

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

	PROTECTION LEVELS			
	EN 388	LVL	score	unit
	MECHANICAL RISKS			
	abrasion resistance	4	> 8.000	cycles
	cut resistance	4	10 - 20	index
	tearing resistance	4	> 75	N
	puncture resistance	2	60 - 100	N
	cut resistance acc. to ISO	C	10 - 15	N

**EN 16350:2014**

Protective gloves - general requirements and test methods  
for antistatic properties



### SPECIAL FEATURES

- ESD cut resistant gloves
- durable knit (4C cut resistance)
- ARDON® design:
  - mandatory information on inner label
  - reflective manufacturer's logo
- compatible with touch screens
- also available without polyurethane = PROOF CUT 4C (do not leave fingerprints)
- also available with polyurethane fingertips dipping = LEO CUT 4C



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

**Basic packaging (without sales label)**

A5023/06  
A5023/07  
A5023/08  
A5023/09  
A5023/10

**EAN**

8592390181053  
8592390181060  
8592390181077  
8592390181084  
8592390181091

**HEM COLOR**

violet  
yellow  
green  
orange  
blue

